



## OPS MODULE MODEL: OPS I5

LUXVIEW

AV SMART SYSTEM




# 1.Specification Parameters

CPU	I5 1240P
System Chipset	Intel®SOC
Basic Frequency	1.7GHz
Cores/Threads	12/16
RAM	8Gb (Support up to 32G)
ROM (SSD)	256Gb (Support up to 512G)
Graphics Card	Intel® Iris® Xe Graphics
Wireless Network	1 x M.2 2230 PCIe/USB Interface
Sound Card	ALC269 Sound Decoding Chip
I/O Interface	4 x USB 3.0 Interface
	1 x USB Type-C Interface
	1x MIC IN Interface
	1 x LINE OUT Interface
	1 x HDMI OUT Interface
	1 x DP OUT Interface
	1 x RJ45 Interface
	1 x Power Indicator Light
	1 x Boot Button
	2 x Antenna
1 x One Touch Restore Button	
OPS 80-pinInterface	1 x HDMI2.0, 1 x DP, 3 x USB2.0, 1x USB3.0, DC
Power Input	12~19V DC Input, 80.7 W Max
Structure Size	180*119*30mm
Operating System	Windows 10/11 64bit <i>(Not including license)</i>
Working Environment	Operating Temperature : -10°C~45°C
	Operating Humidity : 10%~90%, No Condensation
	Storage Humidity : -20°C~60°C

## 2. I/O Interface Picture



## 3. Size Chart



## Disclaimer

Affected by product configuration and manufacturing process, the actual body size/body weight may be different, please refer to the actual product.

The product images in this specification are for illustrative purposes only. The actual product effect (including but not limited to appearance, color, size) may be slightly different, please refer to the actual product.

In order to provide accurate specifications as far as possible, the text description and picture effects of this specification may be adjusted and revised in real time, so as to match the actual product performance, specifications and other information.

© 2024 LUXVIEW The logo and other LUXVIEW marks are owned by LUXVIEW and may be registered. All other trademarks are the properties of their respective owners. LUXVIEW assumes no responsibility for any errors that may appear in this publication. Product, pricing and feature information contained herein is subject to change without notice